## **IN THE CLAIMS:**

- 20. (Preciously Present) Carbon black pellets, prepared from uncompacted carbon black powder, having a relative color intensity, based on the uncompacted carbon black powder, of greater than 100% which have been compacted two or more times with different compressive forces and/or wherein the pellets comprise one or more binders and/or dispersants in a total quantity of between 10 to 25 wt.%, based on the weight of the pellets.
- 21. (Previously Presented) The pellets of Claim 20 wherein the pellets have an average particle size of 0.3 to 2 mm and a quotient of pycnometric density and bulk density between 3.0 and 10.
  - 22. (Cancelled).
- 23. (Currently Amended) The pellets of Claim 22 20 wherein the pellets comprise a binder and/or dispersant in a total quality of 0.1 to 25 wt.% based on the weight of the pellets and wherein the binder comprises a liquid polyol, polyether, polyester, oil, water or an aqueous solution of a polymeric salt or molasses.
- 24. (Previously Presented) The pellets of Claim 22 wherein the dispersant comprises a lignin sulfonate or a naphthalene/formaldehyde condensation product.
- 25. (Previously Presented) A process for the production of carbon black pellets which comprises compacting carbon black two or more times with different compressive forces in the presence of an auxiliary substance in a total quantity of between 10 to 25 wt.%, based on the weight of the pellets and comminuting the compacted carbon black to pellets having an average particle

size of 0.3 to 2 mm and a quotient of pycnometric density and bulk density between 3.0 and 10.

- 26. (Cancelled).
- 27. (Cancelled)
- 28. (Previously Presented) The process of Claim 25 comprising using compression forces of between 1 and 100 kN/cm.
- 29. (Previously Presented) The process of Claim 25 comprising performing the compaction by screws, rollers, die presses or extruders.
  - 30. (Cancelled).
- 31. (Currently Amended) The process of Claim 30-25, wherein the auxiliary substance is a binder and/or dispersant used in a total quantity of 0.1 to 25% based on the weight of the pellet, and wherein the binder comprises a liquid polyol, polyether, polyester, oil, water or an aqueous solution of a polymeric salt or molasses.
- 32. (Currently Amended) The process of Claim 30 31, wherein the dispersant comprises a lignin sulfonate and a naphthalene/formaldehyde condensation product.
- 33. (Previously Presented) The process of Claim 25 comprising coating the resulting pellets with wax, polyether, polyolefin or polyvinyl alcohol.
  - 34. (Previously Presented) The process of Claim 33 comprising adding a preservative and/or fragrance to the wax, polyether, polyolefin or polyvinyl alcohol.

size of 0.3 to 2 mm and a quotient of pycnometric density and bulk density between 3.0 and 10.

- 26. (Cancelled).
- 27. (Cancelled)
- 28. (Previously Presented) The process of Claim 25 comprising using compression forces of between 1 and 100 kN/cm.
- 29. (Previously Presented) The process of Claim 25 comprising performing the compaction by screws, rollers, die presses or extruders.
  - 30. (Cancelled).
- 31. (Currently Amended) The process of Claim 30-25, wherein the auxiliary substance is a binder and/or dispersant used in a total quantity of 0.1 to 25% based on the weight of the pellet, and wherein the binder comprises a liquid polyol, polyether, polyester, oil, water or an aqueous solution of a polymeric salt or molasses.
- 32. (Currently Amended) The process of Claim 30 31, wherein the dispersant comprises a lignin sulfonate and a naphthalene/formaldehyde condensation product.
- 33. (Previously Previsouly) The process of Claim 25 comprising coating the resulting pellets with wax, polyether, polyolefin or polyvinyl alcohol.
  - 34. (Previously Presented) The process of Claim 33 comprising adding a preservative and/or fragrance to the wax, polyether, polyolefin or polyvinyl alcohol.